

REGULATIONS MADE BY SOUTHWARK COUNCIL UNDER SECTION 10(1) OF THE LONDON LOCAL AUTHORITIES ACT 1991

STANDARD LICENSING CONDITIONS IN FORCE FOR PREMISES OFFERING SPECIAL TREATMENT BY LONDON BOROUGH OF SOUTHWARK

NOTES:

- (i) Except where the context demands otherwise the singular includes the plural and the masculine includes the feminine.
- (ii) Nothing in these rules shall be construed as interfering with (i) the discretion of the licensee or his representative regarding the admission of any person or (ii) the need to strictly comply with all statutory requirements.
- (iii) These rules are divided into Seven Parts as follows:
 - Part I - Definitions and General.
 - Part II - Rules which apply to all premises.
 - Part III - Rules which apply to all treatments.
 - Part IV - Additional conditions which apply to specific treatments
 - Part V - Rules which apply to safety and maintenance.
 - PART VI - Rules applying to larger premises only where the Council so prescribes.
 - PART VII - Appendix A - Certification required to be available at the licensed premises.
- (iv) In these rules all references to a British Standard (BS) shall be deemed to refer to the current standard.

People with Disabilities

It is the policy of the Council that access for people with disabilities should be provided at business premises licensed for special treatment. Licensees are, therefore strongly encouraged to provide such facilities so as to enable the admission of people with disabilities and are reminded of the duties imposed by the Disability Discrimination Act 1995.

Part I

Definitions and General

1) Definitions

In these rules, unless the context otherwise requires:-

Act means Part II of the London Local Authorities Act 1991 (as amended).

Approval of the Council or Consent of the Council means the written approval or Consent of the Council as Licensing Authority in writing.

Approved, Accepted or Permitted means approved, accepted or permitted by the Council in writing.

Council means the London Borough of Southwark.

Special Treatment means massage, electric treatments, light treatments, water Treatments, skin piercing and other treatments of a like kind.

Establishment for Special Treatment has the meaning set out in section 4 of the London Local Authorities Act 1991 (as amended).

Fire Authority means the Chief Officer and Chief Executive of the London Fire and Emergency Planning Authority (L.F.E.P.A)

Licence Holder/Authorised Person means a person who is responsible for compliance with the standard conditions at all times that the premises are open for business.

Licence means a special treatment licence granted under section 6 of the London Local Authorities Act 1991 (as amended).

Premises means any premises within the Council's area licensed for special treatments and include all installations, fittings etc.

Operative – the person carrying out the special treatment and, for tattooing and body piercing premises, is an approved operative as named on the licence.

Authorised Officer means an Officer appointed by the Community Safety and Enforcement Department. (This may include officers of the London Fire and Civil Defence Authority.)

British Standard (BS) shall be deemed to refer to the current British Standard.

Public' means any person other than a member of staff admitted to the licensed premises.

'Premises' means any premises within the Council's area licensed for special treatment and includes all installations, fittings and things in connection therewith

2) Dispensation or Modification of Rules

- a) These rules may be dispensed with or modified by the Council in any special case.
- b) Where in these rules there is any reference to the consent of the Council being required, such consent may be given on such terms and conditions and subject to such restrictions as may be so specified.
- c) If the licensee wishes any of the terms of the licence to be varied an application must be made to the Council and if the Council so require the application must be advertised.

PART II - RULES WHICH APPLY TO ALL PREMISES

Type of Business

Unless consent is given by the council the establishment shall be carried on only for the treatment or business and in the trade name of style specified in the licence and at the address mentioned. Only the special treatments listed on a special treatment licence in respect of premises shall be undertaken at that premises.

The Licence

The licence or a clear copy shall be conspicuously exhibited at all times to the satisfaction of the Council in the premises, in such a position that it can be easily seen by all persons using the premises. The licence shall be adequately protected against theft, vandalism and defacement.

Identification of Staff

All staff engaged in receiving patrons or in giving treatment or in managing the premises shall wear a name badge in a manner approved by the Council. The name shown shall correspond with that shown on any certificate displayed. The name badge shall be provided to staff by the premises.

Responsibility of Licence Holder/Authorised Person

- a) The licence holder may authorise a responsible person to be in charge of the premises during opening hours.
- b) The licence holder/authorised person shall take all reasonable precautions for the safety of all persons using the premises and ensure compliance at all times with the relevant provisions of the Health and Safety at Work etc Act 1974, and other associated legislation.
- c) The licence holder/authorised person shall be in charge of the premises at all times.
- d) The licence holder shall take out employer's liability (where applicable) and public liability insurance cover.
- e) The licence holder/authorised person shall ensure that all operatives carrying out 'special treatments' are suitably trained/qualified and evidence of such shall be submitted to the Council for approval.
- g) The licence holder/authorised person shall ensure that no nuisance arises from the business, e.g. odours, noise etc.

Conduct of the Premises

- a) No poster, photograph, sketch, painting, advertisement or display shall be displayed which the council regards as unsuitable for general exhibition. If the licensee is notified that the council objects to a poster, photograph, sketch, painting, advertisement or display such poster, photograph, sketch, painting, advertisement or display shall be removed.
- b) The licence holder/authorised person shall ensure that no part of the premises is used by persons, for soliciting, any act of indecency or other immoral purposes.
- c) The licensee shall not ensure that all persons in his employ engaged in the establishment to be properly and decently attired.

Display of Tariff

All licensable treatment provided at the premises shall be clearly listed in a priced tariff and prominently displayed. This tariff shall also clearly show the cost of any additional service provided at the premises together with VAT thereon if applicable. A copy of the tariff shall be supplied on request to an authorised officer of the Council.

Authorised Officers

Authorised officers, on presentation of their written authorisations and proof of identity shall be admitted at all reasonable times to all parts of the premises.

Electricity

That the electrical installation for the premises, including fixed appliances shall be inspected tested and maintained in accordance with the British Standard 7671. A periodic inspection report shall be obtained from a 'competent person' at the appropriate intervals and submitted to the council. A competent person would be one of the following:

- i) A professionally qualified electrical engineer
- ii) Member of the Electrical Contractors Association (ECA)
- ii) an approved contractor of the National Inspection Council for Electrical Installation Contracting (NICEIC).

Record Keeping

Records including name, address, age, date & type of treatment received shall be kept for all treatments, for a period of at least 3 years in regards to customers.

Any contra-indications e.g. Heart conditions, diabetes, epilepsy etc for each treatment will be discussed with the client prior to any treatment, and the client shall sign a record card to say that they have been made aware of the risks involved.

A record of the operative providing the treatment for each customer is to be kept.

Maintenance

All systems i.e. fire safety equipment, boilers, etc provided in the premises shall be maintained regularly by competent persons, and records available on site for inspection.

All equipment used in connection with special treatments shall be serviced/ maintained in accordance with the manufacturers/suppliers recommendation, and records kept.

Bench top sterilisers shall be calibrated and maintained in accordance with the Manufacturers recommendations and records available on site.

Training

All persons carrying out special treatments shall have received suitable training in the treatments being undertaken and also use of any relevant equipment. Written evidence of all training shall be available on the premises for inspection.

Persons who can give treatment

- (a) Except as provided by (b) below, treatment shall only be given by qualified persons who have been approved by the Council and in respect to whom two identical full face

passport size photographs taken within the twelve month preceding the application for approval, have been submitted to the Council.

- (b) Treatment may also be given by other persons provided:
- (i) the person giving treatment is under the personal supervision of a person approved by the Council; and
 - (ii) the Council's consent has first been obtained in writing and is current at the time of treatment.

PART III - RULES WHICH APPLY TO ALL TREATMENTS

Restriction on Treatment

Unless otherwise expressly permitted by the Council, when treatment is given or is being received to any part of the body other than the neck and head or feet and legs below the knee or hands and arms and is not being so given by a fully qualified physiotherapist or other person entered on the register of the appropriate professional organisation whose qualifications have been approved by the Council, the treatment may be given only to persons of the same sex as the person giving the treatment, and persons of the opposite sex may not be present.

Personal Hygiene

Any person carrying out any special treatment must ensure that:

- a) hands are kept clean and are washed immediately prior to carrying out any treatment.
- b) any open boil, sore, cut or other open wound is effectively covered by an impermeable dressing
- c) No smoking or consuming food and drink shall be undertaken during the course of the treatment.

Waste Material

A sufficient number of suitable receptacles with properly fitting covers shall be provided to the satisfaction of the Council for the purpose of receiving rubbish, dust and refuse from the premises. The receptacles shall be emptied whenever this becomes necessary.

Needles and sharps

All needles and sharps used in treatment shall be placed after use in a separate, covered and leak proof container compliant with BS 7320 and UN 3291 and shall be disposed of when full as clinical waste and proof shall be provided as to the method of disposal to the satisfaction of the Council.

Anaesthetic

Administration of local anaesthetic injections other than by medically qualified practitioners is an offence. Under the Medicines Act 1968, local anaesthetic creams, sprays, gels etc. are prescription only medicines and pharmacy medicines which may only be sold by pharmacists for medical application on the patient only. Their use prior to a body piercing is therefore an offence.

Control of Substances Hazardous to Health Regulations 2002

Substances which fall under the above Regulations e.g. Barbicide, bleach, nail monomers etc shall be assessed in accordance with the requirements of those Regulations and all the necessary precautions taken to ensure their safe use and storage.

Aftercare

Each client shall be provided with written aftercare advice for each treatment they receive, and confirmation of this should be recorded on their client record card.

PART IV - Additional conditions which apply to specific treatments

Ultra Violet Tanning Equipment

- a) No persons under the age of 18 shall be permitted to use tanning equipment.
- b) Prior to the use of tanning equipment a record card shall be completed & signed by the user to acknowledge that they have been made aware of and understand the contra-indications associated with ultra violet radiation, particularly with regard to drugs and medical conditions. A record of the frequency of visits shall also be recorded.
- c) The tanning equipment to be cleaned after each use and regularly maintained and serviced in accordance with manufacturer's recommendations.
- d) Staff to be trained in how to answer questions or give advice on how the equipment works, skin types, medical condition, skin photosensitisation, eye protection, age limit, duration and frequency of sunbed sessions.
- e) The manufacturers schedule of exposure to be displayed and implemented and a notice to be displayed informing of Instructions for use and how to use the sunbed safely
- f) Facilities should be provided to customers to remove perfume/ cosmetics before use e.g shower, wash hand basin, wipes etc
- g) Users of tanning equipment shall have access to an emergency assistance device, which is connected to the reception area

Eye Protection

The licensee shall provide suitable and sufficient eye protection to persons receiving sun tanning treatment.

Tattooing

Semi-permanent make up / micro-pigmentation

- a) No tattoo shall be carried out on a client who has not reached their 18th Birthday in accordance with the Tattooing of Minors Act 1969.
- b) Only tattooists approved and registered by the council can undertake tattooing. All tattooists must be vaccinated against Hepatitis B and vaccination record card should be made available to an authorised officer.
- c) Staff should wear protective clothing/ disposable apron and use single disposal gloves whilst carrying out the treatment.

c) All walls, floors, surfaces, seating etc shall be made of washable material. All surfaces that are used during treatments, including treatment chair/couches should be cleaned and disinfected between each use.

d) Prior to treatment every client shall read and sign a consent form, which contains details of medical history, name, address, age etc. Photographic proof of age may be requested and details should be entered onto the consent form. These forms shall be kept on the licensed premises for a period of at least 3 years, and be available for inspection at all times.

e) Under the Controlled Waste Regulations 1992 and the Environmental Protection Act 1990 operatives/licence holders have a duty of care to ensure that all clinical waste i.e. used dressings, swabs etc (infected or not) and used needles are collected and disposed of by a licensed contractor. A waste transfer document shall be available at the premises for inspection.

The clinical waste bags shall be yellow and marked as 'Biohazard – clinical waste' and whilst awaiting collection should be stored in a secure area.

f) Sharps containers shall comply with the British Standard BS7320 and UN3291 and carry the 'kitemark'. Sharps containers should be sited above floor level and below shoulder level.

g) An accessible wash hand basin should be fitted within the operating area provided with hot and cold running water, preferably by mixer taps. Liquid soap and a paper towel dispenser should also be fitted in this area.

h) In addition to the wash hand basin, a deep sink with hot and cold running water should be provided exclusively for washing used equipment, this should be fitted in a separate 'dirty' area away from the clean operating area.

i) Any items not made of disposable material should be manually cleaned in the sink before undergoing the ultrasonic process, cleaning should occur below water level rather than under running water. Staff should wear suitable aprons etc during this process if there is a risk of splashing.

j) Following the manual cleaning the instruments should be put through a cycle in the ultrasonic cleaner; the lid should remain closed whilst the machine is in operation. Items should be rinsed thoroughly on completion of the cycle. The detergent solution should be renewed at least weekly.

k) Re-usable Instruments should then be sterilised in a bench top autoclave; if using a non-vacuum type then the instruments should be placed **UNWRAPPED** in the autoclave. On completion of the cycle the instruments should be placed in an airtight plastic container and if not used within 3 hours they must be re-sterilised.

Micro-pigmentation: some tools used for micro-pigmentation cannot withstand the sterilisation method by autoclave - but the needles must be disposed off between each client and the remaining parts of the equipment can be cleaned and disinfected using the 5 stage disinfection method as detailed in HSE Iac 14/1.

Any equipment which has parts that: May become contaminated with pigment during use and are regarded as reusable but are not capable of being steam sterilised: or are regarded as reusable but are not able to withstand the 5 stage cleaning method should not be used.

l) If a vacuum type autoclave is used then instruments should be wrapped/pouched prior to sterilisation. A drying cycle is required to ensure that the pouches etc are not left in a damp condition. The pouches remain sterile for up to 6 months.

m) Autoclaves should be run daily on a test cycle to ensure the machine is working correctly, door seals etc should be checked weekly. The autoclave should be maintained/serviced in accordance with the manufacturer's recommendations and written evidence should be available on site.

n) Needles, pigment caps, razors and wooden spatulas are single use only and must be disposed of as clinical waste after use.

o) Written procedures on disinfection, dealing with needles/ sharps injuries and blood spillages should be available on site.

p) All equipment that has or may have been contaminated with blood, however small should be disposed of as clinical waste or cleaned and sterilized.

q) Pigments should be purchased from reputable suppliers and supplied with data sheets stating metal impurities and sterility

r) A written aftercare leaflet shall be given to each client

Electrolysis

a) Individual pre-wrapped sterilised needles shall be used and disposed of as clinical waste after each client.

Body Piercing

a) A piercing may only be performed by an approved operative who is named on the licence.

b) Piercings with the exception of nipple and genital may be carried out with written parental consent under the age of 16.

c) Piercings with the exception of the genitals may be carried out on 16- 18 year olds with either parental consent or a valid photographic identification e.g. passport or driving licence.

d) Any piercing may be carried out on anyone over 18 years of age with a valid photographic identification e.g. passport or driving licence.

e) Prior to treatment **every** client or parent/guardian shall read and sign a consent form, which contains details of name, address, age etc. These records shall be kept for at least 3 years and be available for inspection at the premises.

f) Single use disposable gloves made from non latex or a synthetic alternative (nitrile or vinyl gloves are recommended) must be worn during the procedure. These must be disposed of as clinical waste.

g) The following guns are approved for ear piercing, **Inverness, Coren, Caress, Caflon, Studex, Tripps and Poly Dots Cassette.**

h) The following guns are approved for nose piercing, **Studex.**

i) Jewellery fitted with a stud shall not be used in nose piercing.

- j) A written aftercare leaflet for all piercings shall be given to each client.
 - k) It is recommended that operatives are immunised against Hepatitis B.
 - l) It is recommended that operatives hold a valid first aid certificate.
 - m) Administration of local anaesthetic injections other than by medically qualified practitioners is an offence.
 - n) Under the Medicines Act 1968, local anaesthetic creams, sprays, gels etc. are prescription only medicines and pharmacy medicines which may only be sold by pharmacists for medical application on the patient only. Their use prior to a body piercing is therefore an offence.
 - o) All walls, floors, surfaces, seating etc shall be made of washable material.
 - p) Under the Controlled Waste Regulations 1992 and the Environmental Protection Act 1990 operatives/licence holders have a duty of care to ensure that all clinical waste i.e. used dressings, swabs etc (infected or not) and used needles are collected and disposed of by a licensed contractor a waste transfer document shall be available for inspection.
 - q) The bags shall be yellow and marked as 'Biohazard – clinical waste' and whilst awaiting collection should be stored in a secure area.
 - r) Sharps containers shall comply with the British Standard BS7320 and UN3291 and carry the 'kitemark'. Sharps containers should be sited above floor level and below shoulder level.
 - s) An accessible wash hand basin should be fitted within the operating area provided with hot and cold running water, preferably by mixer taps. Liquid soap and a paper towel dispenser should also be fitted in this area.
 - t) In addition to the wash hand basin, a deep sink with hot and cold running water should be provided exclusively for washing used equipment; this should be fitted in a separate 'dirty' area away from the clean operating area.
 - u) Used instruments should be manually cleaned in the sink before undergoing the ultrasonic process, cleaning should occur below water level rather than under running water. Staff should wear suitable aprons etc during this process if there is a risk of splashing.
 - v) Following the manual washing, the instruments should be put through a cycle in the ultrasonic cleaner; the lid should remain closed whilst the machine is in operation. Items should be rinsed thoroughly on completion of the cycle. The detergent solution should be renewed at least weekly.
 - w) Instruments should then be sterilised in a bench top autoclave, if using a non vacuum type then the instruments should be placed **UNWRAPPED** in the autoclave. On completion of the cycle the instruments should be placed in an airtight plastic container and if not used within 3 hours they must be re-sterilised.
- If a vacuum type autoclave is used then instruments should be wrapped/pouched prior to sterilisation. A drying cycle is required to ensure that the pouches etc are not left in a damp condition. The pouches remain sterile for up to 6 months.
- x) Autoclaves should be run daily on a test cycle to ensure the machine is working correctly, door seals etc should be checked weekly. The autoclave should be maintained/serviced in accordance with the manufacturer's recommendations and written evidence should be available on site.
 - y) Needles, gloves etc are single use only and must be disposed of as clinical waste after use.

z) Any jewellery which contains more than 0.05% nickel shall not be used, as this may cause an allergic reaction.

aa) all jewellery shall be sterilised in the autoclave prior to use in the piercing.

Artificial Nails

a) The condition of the client's nails should be examined prior to any treatment and if there is any presence or suspicion of any infection etc they should be referred for medical treatment.

b) All operatives shall be qualified to Level 3 Unit 19 NVQ standard or an acceptable equivalent which is approved by the Council. Copies of qualifications shall be available for inspection at the premises.

c) An assessment shall be carried out of all products used in connection with the treatment e.g. Acetone, Ethyl Methacrylate etc under the Control of Substances Hazardous to Health Regulations 2002. Copies of safety data sheets for all products used shall be available on the premises.

d) Products containing Methyl Methacrylate (MMA) are subject to an occupational exposure limit and research has shown that regular exposure to them can cause respiratory etc sensitisation. The use of a suitable alternative product should be considered e.g. Ethyl Methacrylate (EMA).

e) All products used in the premises should be stored in suitably labelled containers, specifying details of contents, supplier etc.

f) The premises should be suitably ventilated to minimise the exposure of chemicals by the operative and public. Suitably ventilated treatment tables or other local exhaust ventilation which removes the fumes from the source are the best way of achieving this. The local exhaust ventilation should be fitted with a filter which will trap the dust or alternatively if there is a very strong smell of monomer or solvent then a carbon filter could be used for dust and smell.

g) Floor coverings shall be made of impervious material which can be easily cleaned.

h) Any cotton wool etc which has come into contact with nail liquids should be disposed of in suitably covered receptacles

i) Dispensed nail liquids shall be kept in covered containers at all times when not in use.

j) Electric drills may only be used by suitably trained operatives, written evidence of training should be available on site. Electric drills should only be used on the artificial nail and not on the clients nail. Drill bits etc shall be cleaned between uses on each client.

Moles

Moles shall be treated only in accordance with directions given by a registered medical practitioner with reference to each person to whom treatment is given. A record shall be kept by the licensee of every instance of treatment of moles, such record shall include the name and address of the medical practitioner by whom such treatment was prescribed, the names of the persons giving and receiving such treatment and the date of such treatment; such record shall be produced on demand of an inspector appointed by the Council.

Sauna

a) A thermometer shall be provided indicating the temperature inside the sauna.

- b) An emergency button shall be provided on the sauna, which is connected to a reception or other staffed area.
- c) A clock shall be visible to users, from inside the sauna.
- d) The temperature control device shall not be accessible to users of the sauna.
- e) The hot coals in the sauna shall be protected by a guard rail or barrier.
- f) Shower facilities shall be provided close to the sauna.
- g) A supply of fresh drinking water shall be available close to the sauna.
- h) Safety guidelines on the use of the sauna shall be displayed nearby.

Heated Spa Baths

- a) Children under 15 are prohibited from a spa bath.
- b) The Spa Water should be suitably managed to prevent the growth of legionella bacteria in accordance with Approved Code of Practice L8 ' The control of Legionella bacteria in Water systems.
- c) Water tests shall be carried out at 2 hourly intervals to ascertain the chlorine or bromine, pH etc levels of the water. A written scheme for controlling the risk from disease causing micro-organisms should be in place, including measures to take in the event of unsatisfactory water tests and microbiological levels. The maximum bather load of the spa should be determined and a procedure in place to ensure it is not exceeded.
- d) The spa shall be fitted with an automatic close down device, which operates approx every 15 minutes for a period of 5 minutes.
- e) Safety guidelines on the use of the spa shall be displayed nearby. Microbiological analysis should also be carried out by a UKAS accredited laboratory every month and legionella samples taken every quarter.
- f) An emergency button shall be provided on the spa, which is connected to a reception or other staffed area. The person with day to day responsibility for the pool management must have suitable training e.g. ISRM pool plant management qualification.
- g) Shower facilities shall be provided close to the spa and clients should be encouraged to shower before entering the spa bath
- h) A supply of fresh drinking water shall be available close to the spa.

Floataion Tank

- a) Shower facilities shall be provided close by the equipment.
- b) A supply of fresh drinking water shall be provided near to the equipment.
 - d) The water shall be filtered and purified between clients.

PART V - Rules which apply to safety and maintenance

Maintenance of Means of Escape

- a) The means of escape provided for all persons on the premises shall be maintained unobstructed, immediately available and identifiable in accordance with the approved arrangements. Except with the consent of the Council, bars, wire guards or the like shall not be fitted to windows, nor shall the windows be likewise obstructed in a manner likely to render them unavailable for the purpose of exit in an emergency.
- b) Any mirrors, pictures, advertisements or notices which may be permitted by the Council shall be attached to or hung upon the walls in positions in which they will not be likely to cause obstruction to egress, and shall be fixed flat against the wall or kept clear of the head-line, i.e. 2 metres above the floor.
- c) Advertisement boards or easels shall not be placed in positions in which they are likely to obstruct means of egress or to be overturned. Notice in writing of any proposal to rail off a portion of the premises for the accommodation of such boards or easels shall be given to the Council and the Council's prior consent obtained in the manner prescribed by regulation 21.

Maintenance of Exits

All exit doors shall be available for egress during the whole time that the public are on the premises.

Fire Alarms

Any fire alarm system shall be checked weekly to ensure it is fully operational. In addition the system shall be serviced yearly by a qualified engineer and all results recorded in the log book.

Fire Fighting Equipment

All fire extinguishers and fire fighting equipment shall be checked yearly by a competent person and the test date recorded on the equipment. In the case of hose reels and sprinkler systems the test results shall be recorded in the log book.

Non-Slippery Surfaces

All gangways and exitways and the treads of steps and stairways shall be maintained with non slippery and even surfaces.

Edges of Steps

The front edge of the tread of steps and stairways shall be made conspicuous, if so required by the Council.

Floor Coverings

All floor covering shall be so secured and maintained that they will not be likely to ruck, or to be in any way a source of danger. Any mats shall be fitted into matwells so as to be flush with the surface of the floor. Each treatment room shall be provided with suitable floor coverings which shall be maintained in a clean condition.

Curtains, Hangings, Upholstery Decorations etc

Only hangings, curtains, upholstery and temporary decorations, complying with the relevant British (or where appropriate European) Standard shall be used. Where necessary these shall be periodically tested for flame resistance and re-treated as necessary to the satisfaction of the Council.

Ventilation

The licensee shall ensure that the premises are adequately ventilated to all areas of which the staff and clients have access. Any mechanical ventilation system shall be maintained in correct working order and shall comply with British Standard 5720, 1979. The system shall be capable of full operation during the whole of the time the public are on the premises.

- *Care should be taken to ensure that neither noise nor vibration arising from the running of the equipment will cause annoyance or discomfort.*

Sanitation

The licensee shall ensure that adequate sanitary accommodation is available in the premises for the free use of both staff and public and in particular shall:

- (a) maintain each sanitary convenience in clean and efficient order;
- (b) ensure that any room which contains a sanitary convenience is suitable and sufficiently illuminated and ventilated and is kept clean;
- (c) ensure that in the sanitary accommodation provided there are installed and maintained suitable and sufficient wash-hand basins and that each basin is provided with an adequate supply of hot and cold water at a suitably controlled temperature; together with an adequate supply of soap and suitable hand drying facilities;
- (d) ensure that the premises are so constructed with the adequate provision of efficient drains, suitable wall, floor and ceiling finishes, etc. so that satisfactory sanitation can be maintained;
- (e) where appropriate the sanitary accommodation shall be adequately indicated.

Sanitary Condition of Premises

All parts of the premises and any yard of such premises shall be kept in a clean condition to the satisfaction of the Council.

Treatment Room

Each treatment room shall:

- (a) be maintained in a clean and structurally sound condition;
- (b) be adequately illuminated and ventilated;
- (c) be provided with suitable wash-hand basin or basins readily accessible to each treatment room with a suitable supply of hot and cold water, together with soap and either a supply of disposable towels or a clean towel at all times.

- (d) suitable and sufficient means for heating to a reasonable room temperature, appropriate for the treatment provided, shall be maintained;
- (e) where more than one person is being treated in a room, it shall be provided with suitable screening to maintain privacy.

Cleanliness

Proper means to the satisfaction of the Council shall be provided for securing the cleanliness of all instruments, towels, materials and equipment used in the establishment and for their safe disposal.

Lighting

The owner, occupier or any other person concerned in the conduct or management of the premises licensed for special treatment shall ensure that adequate lighting is maintained to the satisfaction of the Council in all parts of the premises to which public and staff have access and is in operation continuously during the whole time the premises are open to the public.

The general lighting shall be maintained alight and the lighting to "EXIT" or "WAY OUT" notices shall not in any circumstances be extinguished or dimmed while clients are on the premises, provided that so long as there is sufficient daylight in any part of the premises, artificial light need not be used in that part.

Electrical Installation

The electrical installation for the premises and any equipment used therein shall be maintained in a safe working condition, as prescribed by the Electricity at Work Regulations 1989, and the current edition of the Regulations for electrical installations issued by the Institute of Electrical Engineers.

Heating

All parts of the premises regularly occupied by the public or employees shall be heated to the satisfaction of the Council.

Portable Heating Appliances

Portable heating appliances shall not be used at the premises except with the prior consent of the Council.

Gas Cylinders

Appliances utilising cylinders or containers of gas under pressure (apart from CO² cylinders and hand held aerosols) shall not be used on the premises except with the prior consent of the Council and in accordance with such conditions as the Council may consider necessary.

NOTE: the use of liquid petroleum gas in cylinders is unlikely to be approved.

Gas Installations

The gas installation shall comply with the Gas Safety Regulations 1972 as amended by the Gas Safety (Installation and Use) Regulations 1984.

Gas Meter and Electrical Intake Enclosures

Any gas meter or electricity meter enclosure provided shall be used exclusively for the accommodation of the meter and its connections and the area around the equipment, whether enclosed or not shall be kept clear and unobstructed.

PART VI - CONDITIONS APPLYING TO LARGER PREMISES ONLY WHERE THE COUNCIL SO PRESCRIBES

Electrical Certificates

Unless otherwise decided by the Council an inspection certificate, as prescribed in the current edition of the Regulations for electrical installations issued by the Institute of Electrical Engineers, for the electrical installation associated with the premises licensed for special treatment and any equipment used therein shall be submitted to the Council at least annually or such other time as specified on the certificate. The certificate shall be signed by a qualified engineer.

NOTE: Certificates submitted under this regulation are retained by the Council.

The Council normally requires that any such certificate shall be signed by the Corporate Member of the Institute of Electrical Engineers, or by a contractor currently enrolled with the National Inspection Council for Electrical Installation Contracting, or by a suitable qualified representative of a Supply Authority or, with the prior approval of the Council, other persons deemed competent. An inspection certificate, as prescribed in the current edition of the Regulations for electrical installations issued by the Institute of Electrical Engineers, for the electrical installation associated with the premises licensed for special treatment and any equipment used therein shall be submitted to the Council at least annually or such other time as specified on the certificate. The certificate shall be signed by a qualified engineer.

NOTE: Certificates submitted under this regulation are retained by the Council.

The Council normally requires that any such certificate shall be signed by the Corporate Member of the Institute of Electrical Engineers, or by a contractor currently enrolled with the National Inspection Council for Electrical Installation Contracting, or by a suitable qualified representative of a Supply Authority or, with the prior approval of the Council, other persons deemed competent.

Escape Lighting

- a) The escape lighting installation, including its load, shall not be altered without the consent of the Council.
- b) Any escape lighting battery shall be fully charged before the admission of patrons.
- c) Should the normal lighting fail and the escape lighting system have a one hour capacity patrons shall leave the premises within 30 minutes unless within that time the normal lighting has been restored and the batteries are being re-charged. If the escape lighting system has a three hour capacity patrons shall leave the premises within one hour unless within that time the normal lighting has been restored and the batteries are being recharged.
- d) If the patrons have left the premises they shall not be re-admitted until normal lighting has been fully restored and the battery or batteries fully recharged.
- e) The escape lighting installation shall be tested at least once every 6 months in accordance with BS 5266 Part I and a copy of the certificate retained on the premises.

- f) In the event of the failure of the normal system of lighting, (i) where the escape lighting has a 1 hour capacity the public shall be required to leave the building within a maximum period of 30 minutes and (ii) where the escape lighting has a 3 hour capacity the public shall be required to leave the building within a maximum period of 1 hour and shall not be re-admitted until the lighting from the system has been fully restored and the battery fully recharged.

Diagram of Wiring

Where required by the Council a diagram and/or schedule indicating clearly the arrangements of the circuits, the position of the distribution boards and the sizes of the cables shall be provided on the premises.

Installation for Unlicensed Portions of Premises

In cases in which the premises form part of larger premises, the electrical services for such part shall not be used for any purpose in connection with the remaining parts of the premises, except with the consent of the Council and in accordance with any conditions of such consent.

PART VII - APPENDIX A

CERTIFICATION REQUIRED TO BE AVAILABLE AT THE LICENSED PREMISES

1) Electricity

- All applicants and licence holders are required to hold valid documentation confirming the safety of the fixed wiring throughout the premises. All works must be carried out by a competent electrical engineer in accordance with the Electricity at Work Regulations 1989. e.g. NICEIC 'Periodic Inspection Report for an Electrical Installation'.

2) Sterilisers

- All applicants and licence holders are required to hold valid documentation confirming the safety/calibration of all sterilisers which are used in connection with the business e.g. autoclaves, ultrasonic cleaners, ultra violet cabinets etc. All works must be carried out by a competent engineer.

3) Controlled Waste

- All applicants and licence holders shall hold a copy of the licence of the contractor who is removing the controlled waste.
- Copies of transfer documents for the removal of controlled waste should also be held.

4) Insurance

- A copy of the employers liability (where applicable) and public liability certificates should be available for inspection.

5) Training

- All certificates of qualification relevant to the licensed treatments shall be available for inspection.