



TYPE N - REAR OF FOOTWAY BOUNDARY TRIM



N1 - At boundary with private soft landscaped area under new construction

(also preferred at boundaries with existing private soft landscaped areas subject to the land owners consent)



N2 - Where existing retaining feature at boundary (see note 9)

NOTES

- All dimensions are in millimeters unless otherwise stated.
- Do not scale from this drawing. Use only written dimensions.
- All references to Clauses are references to those from the Southwark Highway Specification unless otherwise stated. In the event of any conflict between the drawings and these Clauses, then the Clauses shall prevail. Drawings to be used in conjunction with **LBS/1100/01-07**.
- Kerbs and footings shall be laid as Clauses 1101SR and 1112AR. In the event of any conflict between the drawings and these Clauses, then the Clauses shall prevail.
- Kerbs shall be 6-12mm jointed using J-MWK6 mortar as Clause 112AR.
- Unless otherwise approved in writing by the Highway Authority
 - Precast concrete modules (other than cube modules) shall be 2-4mm jointed with J-SS1 sharp sand as Clause 1115AR.
 - All other types of unit shall be 5-8mm jointed with J-MWK6 mortar as Clause 1115AR.
- Footings/beams/haunching shall be either concrete as Clause 1001, ancillary concrete as Clause 2602 or a CBGM as series 800 Clauses. In either instance the minimum compressive strength class shall be C12/15. Formwork and shuttering shall be used in all instances to make efficient use of these materials and to achieve required profiles.
- Movement joints shall be provided through footings/beams/haunching as Clause 1101SR.
- Boundary features in this instance include walls, steps, buildings and similar
- Alternative footing profiles (General Requirement 1) not to be used if reinforcement is incorporated into details.

REV	DATE	REVISION DESCRIPTION / DETAILS	DRN BY	CHKD BY	APPRD BY



PROJECT: SOUTHWARK STREETSCAPE DESIGN MANUAL STANDARD DETAILS					
TITLE: FOOTINGS FOR EDGE RESTRAINTS TYPE N - REAR OF FOOTWAY BOUNDARY TRIM					
STATUS:	DRAFT	DRAWN:	OM	DESIGNED:	OM
SCALE:	1:10 @ A3	CHECKED:	DR	APPROVED:	DR
DRAWING NO:	LBS/1100/30	REV:	-		
DATE DRAWN:	JULY 2017	DATE ISSUED:	28 Feb 2019		