



TYPE A - PARTIALLY CONCEALED SURROUND (MODULAR SURFACES ONLY)




TYPE A - SECTION


TYPE B - CONCEALED SURROUND (FLEXIBLE SURFACES ONLY)



TYPE B - SECTION



TYPE A - INDICATIVE PLAN



TYPE B - INDICATIVE PLAN

NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
2. IN THE EVENT OF ANY CONFLICT BETWEEN DRAWINGS AND SPECIFICATION, THE SPECIFICATION SHALL PREDOMINATE.
3. SURROUNDS/FOOTINGS AS SHOWN ARE INDICATIVE. ALTERNATIVE POST FIXINGS MAY BE USED OR REQUIRED (E.G. PLANTED OR BASE PLATE FIXED).
4. SURROUNDS/FOOTINGS FOR TRAFFIC SIGN POST TO BE AS CL1203SR.
5. SURROUNDS/FOOTINGS FOR ALL OTHER EQUIPMENT ARE TO BE AS PER THE MANUFACTURER'S RECOMMENDATIONS FOR THE SERVICE CONDITIONS ENCOUNTERED - SEE CL.4004AR.
7. WHERE REQUIRED THEN SURROUNDS/FOOTINGS SHALL INCLUDE DUCTS FOR ELECTRICAL CONNECTIONS.
8. STRENGTH OF ST CONCRETE MIX TO BE AS RECOMMENDED BY THE STREET FURNITURE MANUFACTURER OR AS REQUIRED IN THE RELEVANT CLAUSES ABOVE.
9. WIDTH OF INFILL TO BE 12-120. HOWEVER, WHERE ADJOINING MODULAR PAVEMENT IS UNBOUND THEN WIDTH SHALL NOT BE LESS THAN 90.

REV	DATE	REVISION DESCRIPTION / DETAILS	DRN BY	CHKD BY	APRVD BY



PROJECT:
SOUTHWARK STREETScape DESIGN MANUAL
STANDARD DETAILS

TITLE:
POST SURROUND DETAILS
SHEET 1 OF 3

STATUS:	DRAFT	DRAWN	DF
SCALE:	N.T.S.	DESIGNED	DF
DRAWING NO:	LBS/1200/01	CHECKED	JH
DATE DRAWN:	AUGUST 2012	APPROVED	MH
DATE ISSUED:	AUGUST 2012	REV:	-